# New Jersey Division of AIDS Prevention and Control Persons Living with HIV/AIDS as of June 30, 2002 Hudson County Residents

			Adult/Ado	lescent *		Pediat	ric *			Tota	1
1.	Current HIV/A		Cases	% 		Cases	왕 			lases	% 
	AIDS-Any OI		862	22		14	26			876	22
	AIDS-CD4 Only			36		0	_ C			1432	36
	HIV Only		1678 	42		40	74 			1718	43
	Total		3972	100		54	100	)		4026	100
	Current					Adult/					
2.	Age * Cases	%	3. Race/	Eth.		Cases		Cases	%		% 
	<5 8	0		, Not Hisp		887	22	9	17	896	
	5-12 46			, Not Hisp	anic	1497	38	27	50	1524	
	13-19 38	1	Hispa			1501					
	20-29 213	5		/Unknown		87		0	-	87	
	30-39 1250	31									
	40-49 1703	42	Total			3972	100	54	100	4026	100
	50+ 768	19									
	Unk. 0	0									
	Total 4026	100									
4.	Patient Group			Ac	lult/A	dolescer	ıt Tran	ısmiss	ion M	lodes **	
	-			Males	%		Female			Tota	
	Men sex with			967				) 0		 96	
	Injection drug			810	30		400	31		121	.0
	MSM/IDU			91	3		C	) 0		9	1
	Heterosexual	contact		235	9		486	38		72	. 1
	Risk not repo			F F O							:1
				559			387				6
	Total	rted/other*** 		2662			387  1273			94  393	.6 . 
					100	diatric	1273	100		393	.6 . 
					100	diatric	1273	100 nissic	n Mod	393 les Tota	6 :
	Total				 100 Pe		1273 Transm	100 nissic	n Mod	393 les Tota	6 : 5 1:
	Total  Parent at risi	k/has AIDS/HIV		2662  Males	 100 Pe %  100		1273 Transm Female	100 nissic	n Mod	 393 les Tota  8	6 : 5 1: 1 : 1 :
	Total  Parent at risi	k/has AIDS/HIV rted/other***		2662  Males	Pe %		1273 Transm Female	nissic 8 100 91	n Mod	 393 les Tota  8	6 : : : : : : : : : : : : : : : : : : :

NOTE: Includes only those persons known to be infected with HIV.

Total

- # Indicates that number is not shown due to small cell size, in accordance with NJDHSS security and confidentiality policies.
- \* Classification based on current age at the end of June 2002.
- \*\* 37 patients are currently of adult/adolescent age (13+ years old), but have evidence of having been HIV-infected as children. They are counted as adult/adolescent reports in tables 1,2, and 3, and as pediatric reports in table 4.

46 100

45 100

91 100

\*\*\* Included in this category are persons with modes of transmission of coagulation disorder and transfusion with blood/blood products.

#### New Jersey Division of AIDS Prevention and Control AIDS Cases Reported as of June 30, 2002 Hudson County Residents

		Adult/Ado	lescent*	Pedi	atric*	To	otal
	se Category	Cases (%)	Deaths (%)	Cases (%)	Deaths (%)	Cases (%)	Deaths (%)
PCP		1992 ( 31)	1634 ( 82)	28 ( 23)	22 ( 79)	2020 ( 30)	1656 ( 82)
Other	OI w/o PCP	2044 ( 31)	1582 ( 77)	92 ( 77)	66 ( 72)	2136 ( 32)	1648 ( 77)
KS Al	one	137 ( 2)	113 ( 82)	0 ( 0)	0 ( .)	137 ( 2)	113 ( 82)
No Di	sease Listed	2331 ( 36)	899 ( 39)	0 ( 0)	0 ( .)	2331 ( 35)	899 ( 39)
Total		6504 (100)	4228 ( 65)	120 (100)	88 ( 73)	6624 (100)	4316 ( 65)
				Adult/Adl*	Pediatric*	Total	

					Adult/ <i>A</i>	Adl*	Pediatr	1C*	Total	
2. Age	*	Cases	%	<ol><li>Race/Eth.</li></ol>	Cases	왕	Cases	왕	Cases	%
Und	der 5	88	1	White, Not Hispanic	1936	30	26	22	1962	30
5-1	_2	32	0	Black, Not Hispanic	2473	38	45	38	2518	38
13-	-19	32	0	Hispanic	2038	31	48	40	2086	31
20-	-29	1040	16	Other/Unknown	57	1	#	1	58	1
30-	-39	3118	47							
40-	-49	1734	26	Total	6504	100	120	100	6624	100
Ove	er 49	580	9							
Unk	nown	0	0							

4. Patient Group	Ad	ult/Adol	escent Trans	mission	Modes **	
	Males	%	Females	8	Total	%
Men sex with men (MSM)	1613	34	0	0	1613	25
Injection drug user (IDU)	2137	45	766	45	2903	45
MSM/IDU	194	4	0	0	194	3
Heterosexual contact	251	5	621	36	872	13
Risk not reported/other***	601	13	315	19	916	14
Total	4796	100	1702	100	6498	100
	Males	Pedia	tric Transmi Females		des Total	%

	Males	%	Females	8	Total	%
Parent at risk/has AIDS/HIV Risk not reported/other***	68 #	97 3	55 #	98 2	123 #	98 2
Total	70	100	 56	100	126	100

- # Indicates that number is not shown due to small cell size, in accordance with NJDHSS security and confidentiality policies.
- \* Classification at time of AIDS diagnosis.

Total

6624 100

- \*\* 6 patients were diagnosed with AIDS as adults, but have evidence either of having been HIV-infected or of having acquired AIDS as children. They are counted as adult/adolescent reports in tables 1,2, and 3; and as pediatric reports in table 4.
- \*\*\* Included in this category are persons with modes of transmission of coagulation disorder and transfusion with blood/blood products.

# New Jersey Division of AIDS Prevention and Control AIDS Cases Reported as of June 30, 2002 Hudson County Residents

5. AIDS Cases by Year of Diagnosis.

Year of Diagnosis	Number of Cases	Number of Deaths	Case-Fatality Rate
Before 1985	121	118	98%
1985	167	162	97%
1986	277	250	90%
1987	327	306	94%
1988	322	305	95%
1989	410	366	89%
1990	418	364	87%
1991	439	376	86%
1992	497	396	80%
1993	777	546	70%
1994	636	411	65%
1995	551	278	50%
1996	475	181	38%
1997	349	107	31%
1998	212	57	27%
1999	203	42	21%
2000	220	34	15%
2001	181	#	#%
2002	42	#	#%
Total	6624	4316	65%

<sup>#</sup> Indicates that number is not shown due to small cell size, in accordance with NJDHSS security and confidentiality policies.

### New Jersey Division of AIDS Prevention and Control HIV INFECTION-not-AIDS Reports with Identifiers Reported as of June 30, 2002 Hudson County Residents

1.	Age *	Cases	%	2. Race/Ethnicity	Adult/ Cases		Pediat Cases	ric* %	Total Cases	%
	Under 5	48	2	White, Not Hispa	anic 372	2 20	9	16	381	20
	5-12	10	1	Black, Not Hispa			29	50	783	40
	13-19	47	2	Hispanic	707	37	19	33	726	37
	20-29	473	24	Other/Unknown	61	. 3	#	2	62	3
	30-39	844	43							
	40-49	398	20	Total	1894	100	58	100	1952	100
	Over 49	132	7							
	Unknown	0	0							
	Total	1952	100							
2	Patient Gro				7 dul + /7 dol o	agont	Trongmiggi	on Modes **		
٥.	Patient Gro	Jup		26 - 7 -					1 0	
				Male	es %	F-6	emales %	Tota	1 %	
	Men sex wit	th men (M	ISM)	 3	393 33		0 0	39:	3 21	
	Injection of			7) 3	357 30		210 30	56'	7 30	

MSM/IDU	41	3	0 0	41	2
Heterosexual contact	114	10	246 35	360	19
Risk not reported/other***	285	24	248 35	533	28
Total	1190	100	704 100	1894	100
		Ped:	iatric Transmission Modes		
	Males	%	Females %	Total	%
Parent at risk/has AIDS/HIV	27	100	27 87	54	93
Risk not reported/other***	0	0	# 13	#	7

27 100

31 100

58 100

NOTE: Includes only those persons known to be infected with HIV.

Total

- # Indicates that number is not shown due to small cell size, in accordance with NJDHSS security and confidentiality policies.
- \* Classification at time of first HIV+ test or at time of report if not yet confirmed HIV+.
- \*\* 0 patients were diagnosed with HIV as adults, but have evidence of having been HIV-infected as children. They are counted as adult/adolescent reports in tables 1 and 2; and as pediatric reports in table 3.
- \*\*\* Included in this category are persons with modes of transmission of coagulation disorder and transfusion with blood/blood products.

NOTE: These tables include those reports of HIV Positive infection that have not yet been updated to AIDS status. Not included in these tables are cases initially reported as HIV-not-AIDS that have subsequently been updated to AIDS. Also not included in these tables are HIV Perinatal Exposure Reports where the serostatus of the child is not confirmed HIV Positive; i.e., the HIV serostatus of the child is undetermined or has been found to be negative (seroreverted).

### New Jersey Division of AIDS Prevention and Control HIV/AIDS Cases Reported as of June 30, 2002 Hudson County Residents

			Adult/Adolescent *		Ped				Total				
1.	AIDS-Any OI AIDS-CD4 Only HIV Only		Cases		%	Case				Cases	%		
				# # # # 1894 23		# # 58 3		#	# 4293 # 2331 32 1952		27 23		
	Total					100		34			8576	100	
									Pedi			То	tal
2.	Age *	Cases	%	3.	Race/Eth.		Cases		Cases	3	%	Cases	%
	5-12 13-19 20-29 30-39 40-49 Over 49	89 1811 3921 1910 657 #	0 1 21 46 22 8 0			Hispanic nown	3224 2743 118	27 38 33 1		77 59 # 	38	2343 3301 2812 120  8576	
4.	Patient G	roup				Males	ફ	F	emales	ે	Modes ** Tota	1 %	
	Men sex wi Injection MSM/IDU	ith men (M	ISM)			2006 2494 235	34 42		0 976 0	0 <del>1</del> 1	200 347 23	0 41	

	Pediatric Transmission Modes						
	Males	%	Females %	Total	%		
Parent at risk/has AIDS/HIV	95	98	82 94	177	96		
Risk not reported/other***	#	#	5 6	7	4		
Total	97	100	87 100	184	100		

365

-----

886 15

5986 100

6

867 36

563 23

2406 100

1232

1449

\_\_\_\_\_

8392 100

15

17

NOTE: Includes only those persons known to be infected with HIV.

- Indicates that number is not shown due to small cell size, in accordance with NJDHSS security and confidentiality policies.
- \* Classification at time of first HIV+/AIDS diagnosis.

Heterosexual contact

Total

Risk not reported/other\*\*\*

\_\_\_\_\_

- \*\* 0 patients were diagnosed with HIV/AIDS as adults, but have evidence of having been HIV-infected as children. They are counted as adult/adolescent reports in tables 1,2 and 3; and as pediatric reports in table 4.
- \*\*\* Included in this category are persons with modes of transmission of coagulation disorder and transfusion with blood/blood products.

# New Jersey Division of AIDS Prevention and Control HIV/AIDS Cases Reported as of June 30, 2002 Hudson County Residents

5. HIV/AIDS Cases by Year of First HIV/AIDS Diagnosis.

Year of First HIV/AIDS Diagnosis	Cases	Number Known Dead	Case-Fatality Rate
Before 1985	130	120	92%
1985	219	203	93%
1986	354	306	86%
1987	425	365	86%
1988	472	394	83%
1989	699	515	74%
1990	691	498	72%
1991	677	467	69%
1992	816	451	55%
1993	799	389	49%
1994	681	303	44%
1995	568	192	34%
1996	463	113	24%
1997	393	84	21%
1998	322	58	18%
1999	281	50	18%
2000	359	25	7%
2001	180	#	#%
2002	42	#	#%
Unknown	5	#	#%
Total	8576	4550	53%

<sup>#</sup> Indicates that number is not shown due to small cell size, in accordance with NJDHSS security and confidentiality policies.